



(1) **Supplementary EU - Type Examination Certificate No.6**

(2) **Equipment or Protective Systems Intended for Use
in Potentially Explosive Atmospheres
(Directive 2014/34/EU)**

(3) EU - Type Examination Certificate number:

FTZÚ 02 ATEX 0158X

(4) Product: **Flameproof luminaire type 511 37 01**

(5) Manufacturer: **ELEKTROSVIT Svatobořice, a. s.**

(6) Address: **Nádražní 1290/44, 696 04 Svatobořice-Mistřín, Czech Republic**

(7) This supplementary certificate extends EC - Type Examination Certificate No. FTZÚ 02 ATEX 0158X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

(8) The Physical-Technical Testing Institute, Notified Body number 1026, in accordance with Articles 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014, certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

(9) In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20.04.2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20.04.2016.

(10) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0:2012+A11:2013, EN 60079-1:2014, EN 60079-31:2014

(11) The marking of the product shall include the following:


 **I M2 Ex db I Mb**

 **II 2G Ex db IIB T4-T6 Gb**

 **II 2D Ex tb IIIC T_{max.surface} (- see Annex No.1) Db**

(12) This certificate is valid till: **30.06.2023**

Responsible person:


Dipl. Ing. Lukáš Martinák
Head of Certification Body



Date of issue: 27.06.2018

Page: 1/2
Annex: 1 (1 sheet)

This certificate is granted subject to the general conditions of the FTZÚ, s.p.
This certificate may only be reproduced in its entirety and without any change, schedule included.



Physical-Technical Testing Institute
Ostrava - Radvanice

(13)

Schedule

(14) **Supplementary EU - Type Examination Certificate No. 6
to FTZÚ 02 ATEX 0158X**

(15) Description of the variation to the Product:

The subject of this supplementary certificate is

- Evaluation according to the newest standards, **EN 60079-1:2014, EN 60079-31:2014;**
- Manufacturer was changed address from ELEKTROSVIT Svatobořice, a.s., Nádražní 277 to: ELEKTROSVIT Svatobořice, a.s., **Nádražní 1290/44**, 696 04 Svatobořice-Mistřín;
- Prolongation of certificate validity.

Basic technical data: see Annex No.1

(16) Report Number.: 02/0158/6 dated 27.06.2018

(17) Specific Conditions of Use:

1. Verified values of the maximum gaps and minimum constructional length of flameproof joints of this enclosure are different from relevant minimum and maximum values mentioned in standard. To obtain information about joints dimension it is necessary to contact the manufacturer.
2. Fasteners with a minimum property class 8.8 shall be used for mounting of the flame proof enclosure parts.

(18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (10) of this supplementary certificate.


(19) Drawings and Documents:

Number	Sheets	Revision	Issue	Date	Description
495.2594	3	Rev.	--	01.06.2018	User's Manual
R-511 37 01	8	c	--	22.06.2018	Material list
0-511-37-01	1	Rev.	--	13.06.2018	Drawing

Responsible person:

Date of issue: 27.06.2018


Dipl. Ing. Lukáš Martinák
Head of Certification Body



Page: 2/2

Annex: 1 (1 sheet)

This certificate is granted subject to the general conditions of the FTZÚ, s.p.
This certificate may only be reproduced in its entirety and without any change, schedule included.



Physical-Technical Testing Institute
Ostrava - Radvanice

ANNEX no.1

**to Supplementary EU - Type Examination Certificate No. 6
to FTZÚ 02 ATEX 0158X**

Basic technical data:

Type: 511 37 01

Marking of equipment shall contain symbols: Ex I M2 Ex db I Mb
 Ex II 2G Ex db IIB T4-T6 Gb
 Ex II 2D Ex tb IIIC Tmax. surface (see below tab.) Db
 IP 65

Rated voltage: 230 V/50 Hz; 220 V/0 Hz

Ambient temperature: -20 °C to +40 °C

Table:

Light source:	Incandescent lamp				Compact fluorescent lamp DULUX EL	Mixed-light lamp HWL
	200 W 230V/50Hz	150 W 230V/50Hz	60 - 100 W 230V/50Hz	100 W 220V/0Hz	max. 23 W	160 W
Temperature class	T4	T5	T6	T5	T6	T5
Max. surface temperature	105 °C	92 °C	80 °C	85 °C	60 °C	90 °C

Light source:	Halogen bulb Philips EcoClassic30			Compact fluorescent lamp Philips Master PL Electronic
	140 W	105 W	70 W	23 W
Temperature class:	T4	T5	T6	T6
Max. surface temp:	105 °C	91 °C	79 °C	62 °C

Responsible person:

Lukáš Martinák
Dipl. Ing. Lukáš Martinák
Head of Certification Body



Date of issue: 27.06.2018

Page of Annex: 1/1